

The OMERACT First-time Participant Program: Fresh Eye from the New Guys

Victor S. Sloan, Shawna Grosskleg, Christoph Pohl, George A. Wells and Jasvinder A. Singh

J Rheumatol 2017;44;1560-1563  
<http://www.jrheum.org/content/44/10/1560>

1. Sign up for TOCs and other alerts  
<http://www.jrheum.org/alerts>
2. Information on Subscriptions  
<http://jrheum.com/faq>
3. Information on permissions/orders of reprints  
[http://jrheum.com/reprints\\_permissions](http://jrheum.com/reprints_permissions)

*The Journal of Rheumatology* is a monthly international serial edited by Earl D. Silverman featuring research articles on clinical subjects from scientists working in rheumatology and related fields.

# The OMERACT First-time Participant Program: Fresh Eye from the New Guys

Victor S. Sloan, Shawna Grosskleg, Christoph Pohl, George A. Wells, and Jasvinder A. Singh

**ABSTRACT. Objective.** To describe the experience of the first-time participant (newbie) training program at the Outcome Measures in Rheumatology (OMERACT) 2016 meeting.

**Methods.** We conducted new participant sessions at OMERACT 2016, including a 2-h introductory session on Day 1 followed by 1-h evening followup sessions on days 1–4. Pre- and post-meeting surveys assessed participants' levels of comfort with the principles of the OMERACT Filter 2.0 (the essential tools for OMERACT methodology) and the different types of OMERACT sessions, and whether participants felt welcome. In addition, on the final day, a nominal group technique was used to elicit problematic components of the meeting and to develop solutions to those problems.

**Results.** Of the 43 new attendees, 38 participated in the introductory session and 14–18 attended the followup sessions. Comparing Day 1 (preintroductory session) to days 1–3 (post), a similar proportion understood different types of sessions extremely well [45% (pre) versus 47%, 44%, and 36% (post), respectively], and a higher proportion understood principles of the OMERACT filter extremely well [22% (pre) versus 55%, 44%, and 40% (post), respectively]. Most reported feeling welcome (86.7%) and felt they contributed to breakout sessions (93.3%) on the evening of Day 1; results were sustained on days 2–3. The most commonly reported "best" experience included the OMERACT culture and the most common reported experience needing improvement included facilitation issues during breakouts.

**Conclusion.** The first-time participants came to OMERACT 2016 with a high baseline level of understanding. They rapidly attained a high comfort level with participation and provided concrete and innovative solutions to the most commonly reported experiences needing improvement. (First Release May 15 2017; *J Rheumatol* 2017;44:1560–3; doi:10.3899/jrheum.161119)

## Key Indexing Terms:

OMERACT

FILTER

OUTCOME MEASURES

TRAINING SESSION

PARTICIPANT EXPERIENCE

Outcomes Measures in Rheumatology (OMERACT)<sup>1</sup> develops validated outcome measures for clinical trials in

*From the UCB BioSciences Inc., Raleigh, North Carolina; Rutgers–Robert Wood Johnson Medical School, New Brunswick, New Jersey; University of Alabama at Birmingham; Birmingham Veterans Affairs Medical Center, Birmingham, Alabama; Department of Orthopedics, Mayo Clinic College of Medicine, Rochester, Minnesota, USA; OMERACT, University of Ottawa; Ottawa Heart Institute, Ottawa, Ontario, Canada; Department of Internal Medicine II Rheumatology, Clinical Immunology, Osteology, Physical Therapy and Sports Medicine, Schlosspark-Klinik, Teaching Hospital of the Charité, University Medicine Berlin, Berlin, Germany.*

VS is an employee of UCB BioSciences Inc.

V.S. Sloan, MD, UCB BioSciences Inc., and Clinical Associate Professor of Medicine, Rutgers–Robert Wood Johnson Medical School; S. Grosskleg, Secretariat, OMERACT, University of Ottawa; C. Pohl, MD, Assistant Registrar of Medicine, Department of Internal Medicine II Rheumatology, Clinical Immunology, Osteology, Physical Therapy and Sports Medicine, Schlosspark-Klinik, Teaching Hospital of the Charité, University Medicine Berlin; G.A. Wells, PhD, Professor of Medicine, Professor of Biostatistics, Ottawa Heart Institute, and University of Ottawa; J.A. Singh, MBBS, MPH Professor of Medicine and Epidemiology, University of Alabama at Birmingham, and Staff Physician, Birmingham Veterans Affairs Medical Center, and Research Collaborator, Department of Orthopedics, Mayo Clinic College of Medicine.

Address correspondence to Dr. J.A. Singh, University of Alabama, Faculty Office Tower 805B, 510 20th St. S, Birmingham, Alabama 35294, USA.

E-mail: Jasvinder.md@gmail.com

Accepted for publication April 5, 2017.

rheumatic diseases. Several key measures commonly used in clinical trials were developed by OMERACT, which in turn led to the application of evidence-based standards in rheumatology clinical trials. OMERACT participants include clinicians, specialists in outcomes research, clinical trialists, epidemiologists, patient research partners (PRP), and representatives from regulatory agencies and the pharmaceutical industry. The success of OMERACT is due in large part to its adoption of rigorous methodology in the development of the core set for a disease of interest, and achieving consensus from everyone involved<sup>2</sup>.

Most first-time OMERACT participants are not primarily study methodologists, and given the new vocabulary, the OMERACT process, and the different types of sessions, the learning curve can be steep. Filter 2.0 is the foundation used by OMERACT to assess candidate measures for use in trials<sup>3,4</sup>. At each face-to-face meeting, about 1 in 5 attendees have no prior OMERACT experience. After the 2012 meeting, there were requests for more education on OMERACT for new attendees before the next OMERACT. The OMERACT executive agreed on the importance of such training because all participants' votes carry equal weight, and better education would lead to more informed voting.

In 2014, the first formal OMERACT new participant training was implemented<sup>5</sup>. The results of this training showed an improvement in participants' involvement and understanding of the meeting<sup>5</sup>.

In 2016, we continued the OMERACT new participant training with some changes based on informal feedback from participants from the 2014 program. This report describes the process and results from the refined and expanded new participant session at OMERACT 2016, an overview of the new participants' OMERACT experience, and concrete solutions for problem areas elaborated by the new attendees.

A novel contribution to the literature is the conduct and reporting of the nominal group technique (NGT) in the OMERACT first-time participant (newbie) program, which also provides the OMERACT executive with an actionable list of problem areas that might lead to improvement in OMERACT meetings. Our study was also innovative in that it evaluated the effect of a training program on new participants' knowledge and skills as effective OMERACT meeting participants, and the change in the effectiveness of this program initiated at OMERACT 2014 and refined and expanded in 2016.

## MATERIALS AND METHODS

**OMERACT first-time participant program.** A new attendee program was conducted at OMERACT 2016 consisting of a 1-h introductory session on the morning of Day 1, followed by a 1.5-h question-and-answer session. There were 1-h evening sessions on days 1–4. Before the meeting, attendees were provided with materials and invitations to the sessions. First-time attendees were reminded at plenary sessions and a schedule was provided at registration. Because there were PRP orientation and daily sessions running in parallel to the new participant program, PRP likely did not take part in these sessions.

**Introductory session format.** Before any meetings, all first-time participants completed an anonymous survey assessing their familiarity with OMERACT, including the concepts of the OMERACT filters 1.0 and 2.0<sup>2,4</sup> and the structure of the meeting. At the first session, there were presentations about OMERACT's history and process, followed by open discussion and a question-and-answer session.

**Daily evening session format.** Prior to each evening session, participants completed an anonymous survey reassessing their comfort with the OMERACT structure and concepts. Two or more moderators staffed each 1-h session (JAS, VS, GW, and/or CP). This was followed by an NGT debriefing<sup>6,7</sup> during each evening session in which each participant was asked to list their key experiences of the day. These responses were recorded and analyzed by the session coordinator (SG). These experiences are presented in Table 1.

The NGT is a variant of traditional methods aimed at identifying the overall opinion of a group. NGT is a structured process that facilitates development of an inclusive list of issues related to a specific question followed by feedback on the relative importance of these lists through rank-ordering<sup>6,7,8</sup>. The NGT approach promotes more even participation rates compared to focus groups with equal weighting of input from all participants.

During the last meeting, we used NGT to ask 3 questions: (1) What was your best experience of the OMERACT meeting? (2) What experience of the OMERACT meeting needs improvement? (3) What solutions do you propose to address the OMERACT experience needing improvement? An experienced NGT facilitator (JAS) first presented the questions, followed by participants noting their responses independently and reading each response to the facilitator, who recorded them verbatim. After all the

*Table 1.* Best experiences according to the participants in the program: NGT session. Eighteen people participated in the NGT session on the last day of the OMERACT and allocated either 3, 2, or 1 dots (equal to score of 3, 2, or 1) from the most pertinent to the third most pertinent best experience; total does not add to the exact multiple because some people did not use all dots.

Best Experience	Score
8. OMERACT culture	26
3. Format of workshop session: systematic	16
5. Networking	13
10. Watching process of developing instruments	13
7. Newbie session	12
4. Patient feedback/participation	9
1. Report-back on SIG	5
2. Filter 2.0 session	4
6. Breakout as a means to express yourself	4
11. Voting	1
9. Food	
12. Keeping on time	
13. Engaged	
14. Location and weather	

NGT: nominal group technique; OMERACT: Outcome Measures in Rheumatology; SIG: Special Interest Groups.

responses had been nominated by the participants in a round-robin fashion and listed by the facilitator, participants were asked to elaborate and discuss their responses. After discussion, none of the responses could be consolidated. Participants chose their top 5 responses and gave them individual scores from 1 to 3 (higher score indicating the top choice/rank). Scores were aggregated for group rank-order of these questions, with higher scores representing the highest-ranked questions.

## RESULTS

**Participant characteristics.** There were 43 first-time attendees. Characteristics of the new participants are shown in Appendix 1. Of the 43 new participants, 38 (88.4%) attended the introductory session. Between 14 and 18 participants (32.6%–41.9%) attended the daily evening sessions from days 1–4.

**Participant familiarity and comfort with the OMERACT process.** There was a high level of understanding of OMERACT at baseline. In 2016, the proportion of participants not understanding OMERACT sessions well or the OMERACT filter well was low, i.e., 7% each by Day 1 end (after the new participant introductory training session). Conversely, proportions understanding OMERACT sessions and OMERACT filter extremely well were as follows: 45% (pre) versus 47%, 44%, and 36% (post); and 22% (pre) versus 55%, 44%, and 40% (post), respectively. Even as early as after 1 day, most new participants felt they could contribute to sessions (93.3%). These proportions were higher than those at OMERACT 2014 (Appendix 2) and stayed stable or improved slightly through the entire duration of the 2016 OMERACT meeting.

**Nominal group.** At the end of Day 4, we conducted an NGT with 20 participants addressing 3 questions. New participants identified and ranked their responses to each question (Table

1, Table 2, and Table 3). The top 3 research questions identified for “best experience” were:

1. OMERACT culture
2. Systematic format of workshop session
3. Observing the process of developing instruments and networking (tie; Table 1).

The top 3 research issues identified for “experience needing improvement” were:

1. Facilitation issue during breakouts (clarify objectives, encourage full participation)
2. Voting process (present questions in an unbiased fashion)
3. Burden versus feasibility of core set instruments and context of the workshop not being clear (tie; Table 2).

Solutions to these issues included not instructing participants on desired voting outcomes, use voting before discussion to identify areas of confusion best suited for discussion that helps in consensus-building, a requirement to state the time needed to complete an instrument, and a requirement to state objective(s) of the workshop up front.

Participants specifically developed solutions for the experiences needing improvement. As noted above, by far the most commonly reported experiences needing improvement involved the breakout sessions. Suggestions for improvement included training sessions for facilitators, clearly stating objectives at the beginning of sessions, and defining the scope of sessions up front (Table 3).

## DISCUSSION

Our report describes results of the second formal OMERACT first-time participant training program, results of the NGT conducted at the end of the meeting, and practical solutions to problematic aspects of the meeting as seen by those with limited OMERACT experience. Unlike OMERACT 2014<sup>5</sup>, baseline understanding and comfort level of participants was

*Table 2.* Experiences needing improvement according to the participants in the program: NGT session. Eighteen people participated in the NGT session on the last day of the OMERACT and allocated either 3, 2, or 1 dots (equal to score of 3, 2, or 1) from the most pertinent to the third most pertinent experience needing improvement; total does not add to the exact multiple because some people did not use all dots.

Experience Needing Improvement	Score
2. Facilitation issue during breakouts (objectives not clear; participation from all participants not encouraged)	55
3. Biased voting (potential conflict of interest: do not lead the session when you have a conflict of interest with the instrument being voted on)	17
4. Overall burden of core set instruments vs feasibility of each instrument	11
5. Context of the workshop not being clear	11
1. Methodology/statistics gaps	9

NGT: nominal group technique; OMERACT: Outcome Measures in Rheumatology.

*Table 3.* Recommendations from participants during the Nominal Group Technique session in response to the question: “What solutions do you propose to address the OMERACT experience needing improvement?”

Process of Teaching Facilitation to Moderators
Providing materials before breakout to both facilitator and participants
Define the scope
State the objective of breakouts
Give the format of the meeting
Allow enough time for the breakouts in all groups
Consider a laminated sheet and a separate slide set for the moderator and the reporter
State the objective of the workshop — add a slide for the goal for breakout
Everyone votes first to identify areas of confusion, disagreement
Variety of workshops run differently
Voting for each workshop was 3 times: workshops, then during the breakouts, then plenary. Is there a rationale? Can we decrease the number of times we vote?
Use votes to find areas for discussion
Do not tell us how to vote
Have some objective to report back

OMERACT: Outcome Measures in Rheumatology.

high (Appendix 2). This allowed the institution of an NGT, identification of good experiences and those not needing improvement, and elaboration of innovative solutions for those experiences needing improvement. The experiences needing improvement were obvious to participants who had not attended previous OMERACT meetings, and their solutions will be provided to OMERACT’s Executive Committee for possible implementation.

Participants’ reported levels of knowledge of OMERACT processes and concepts were higher than in 2014 (Appendix 2). The higher baseline knowledge may be related to improved premeeting materials and/or more diligence by new participants in understanding premeeting readings. This should prompt consideration of an assessment of premeeting materials at OMERACT 2018. Regardless of the reason for the higher baseline knowledge, it allowed more in-depth discussion to identify strengths and problem areas, and to develop concrete proposals for improvement.

The most commonly reported best OMERACT experiences included the OMERACT culture, the systematic format of workshops, and being able to observe how new instruments are developed. This is gratifying, because in addition to developing new outcome measures, one of the major goals of OMERACT is to develop new talent, especially study methodologists, and to enhance collaboration among those committed to improving evidence-based rheumatology. Based on these results, we plan to modify the session by providing additional premeeting materials and continuing the NGT session to provide substantive, innovative proposals for improvement, spurred by having a fresh set of eyes to identify problematic areas.

There are several limitations to our report. The high baseline level of knowledge prevented any conclusions about

the change in knowledge or comfort level with participation over time. This was balanced in part by the ability to use NGT to identify problem areas and propose solutions. The need to keep the surveys brief and maintain the high level of interaction limited the amount of quantitative data. The number of participants decreased between the 2-h introductory session and the subsequent sessions, which may have affected the representativeness of the group. We think that the attendance dropped because subsequent sessions on days 1–4 were not mandatory for the new participants. The decline was similar to one noted in previous OMERACT new participant sessions<sup>5</sup>. A nominal group process/focus group was not done with the 4 Working Group leaders of the OMERACT new participant program to identify top areas of improvement, which could have provided additional insights. This will be done in the future.

Nevertheless, important positive areas were identified, and ways to improve were proposed. This program is in its infancy and was implemented for only the second time. OMERACT is unique in expecting all participants to actively contribute and vote, regardless of whether they have attended several meetings or are new participants. The objective of our program to orient and inform new participants at the

OMERACT meeting, and to learn from this group, was achieved. The new participant program remains worthwhile and should be continued.

## REFERENCES

1. OMERACT. [Internet. Accessed April 7, 2017.] Available from: [www.omeract.org](http://www.omeract.org)
2. Boers M, Brooks P, Strand CV, Tugwell P. The OMERACT filter for Outcome Measures in Rheumatology. *J Rheumatol* 1998;25:198-9.
3. Boers M, Kirwan JR, Gossec L, Conaghan PG, D'Agostino MA, Bingham CO 3rd, et al. How to choose core outcome measurement sets for clinical trials: OMERACT 11 approves filter 2.0. *J Rheumatol* 2014;41:1025-30.
4. Boers M, Kirwan JR, Wells G, Beaton D, Gossec L, d'Agostino MA, et al. Developing core outcome measurement sets for clinical trials: OMERACT filter 2.0. *J Clin Epidemiol* 2014;67:745-53.
5. Sloan VS, Grosskleg S, Pohl C, Wells GA, Singh JA. The OMERACT first-time participant ("newbie") program: initial assessment and lessons learned. *J Rheumatol* 2015;42:1976-81.
6. Gallagher M, Hares T, Spencer J, Bradshaw C, Webb I. The nominal group technique: a research tool for general practice? *Fam Pract* 1993;10:76-81.
7. Miller D, Shewchuk R, Elliot TR, Richards S. Nominal group technique: a process for identifying diabetes self-care issues among patients and caregivers. *Diabetes Educ* 2000;26:305-10,312,314.
8. Hegger MJ. A fresh approach to group goal setting. The three-way rotation nominal group technique. *J Nurs Staff Dev* 1986;2:13-7.

**APPENDIX 1.** Characteristics of the new OMERACT participants at OMERACT 2016 compared with participants at a similar session at OMERACT 2014.

Characteristics	New OMERACT 2016 Participants, n = 43	New OMERACT 2014 Participants, n = 39
Male/female, n	22/21	19/20
Type of professional, n (%)		
Academic/researcher	26 (60.5)	27 (69)
Industry	14 (32.5)	12 (31)
Regulatory agency	3 (7)	0 (0)

OMERACT: Outcome Measures in Rheumatology.

**APPENDIX 2.** Responses to Day 1 questions before introductory new participant session at OMERACT 2016 compared with responses at OMERACT 2014.

Questions	OMERACT 2014	OMERACT 2016
Day 1: How well do you understand the different types of sessions?		
	0% extremely well	44.7% extremely well
	44% somewhat well	55.3% somewhat well
	56% somewhat poorly	0% somewhat poorly
	0% extremely poorly	0% extremely poorly
Day 1: How well do you understand TDF?		
	12% extremely well	22.2% extremely well
	24% somewhat well	77.8% somewhat well
	16% somewhat poorly	0% somewhat poorly
	48% extremely poorly	0% extremely poorly

OMERACT: Outcome Measures in Rheumatology; TDF: Truth, Discrimination, Feasibility.