

Dr. Janow, *et al* reply

To the Editor:

We appreciate the reporting of the cases by Gmuca, *et al*¹, and agree that better awareness of this association and improved diagnostic criteria are needed. With increased awareness, we can work toward a better understanding of the spectrum of disease, as well as potential treatments.

JEFFREY M. KORNITZER, MD, Department of Neurology, Rutgers-New Jersey Medical School, Newark, New Jersey; YUKIKO KIMURA, MD, Section Chief, Section of Pediatric Rheumatology, Joseph M. Sanzari Children's Hospital, Hackensack University Medical Center, Hackensack, New Jersey; GINGER JANOW, MD, MPH, Section of Pediatric Rheumatology, Joseph M. Sanzari Children's Hospital, Hackensack University Medical Center, Hackensack, New Jersey, USA. Address correspondence to Dr. G. Janow, Section of Pediatric Rheumatology, Joseph M. Sanzari Children's Hospital, Hackensack University Medical Center, 30 Prospect Ave., WFAN Building, 3rd Floor, Hackensack, New Jersey 07601, USA. E-mail: ginger.janow@hackensackmeridian.org

REFERENCE

1. Gmuca S, Lieberman SM, Mehta J. Pediatric neuromyelitis optica spectrum disorder and Sjögren syndrome: more common than previously thought? *J Rheumatol* 2017;44:959-60.

J Rheumatol 2017;44:6; doi:10.3899/jrheum.170225