

Table 2. SLEDAI- 2K data collection form.

Study No.: _____ Patient Name: _____ Visit Date: _____

(Enter weight in SLEDAI Score column if descriptor is present at the time of the visit or in the preceding 10 days.)

Weight	SLEDAI SCORE	Descriptor	Definition
8	_____	Seizure	Recent onset, exclude metabolic, infectious or drug causes.
8	_____	Psychosis	Altered ability to function in normal activity due to severe disturbance in the perception of reality. Include hallucinations, incoherence, marked loose associations, impoverished thought content, marked illogical thinking, bizarre, disorganized, or catatonic behavior. Exclude uremia and drug causes.
8	_____	Organic brain syndrome	Altered mental function with impaired orientation, memory, or other intellectual function, with rapid onset and fluctuating clinical features, inability to sustain attention to environment, plus at least 2 of the following: perceptual disturbance, incoherent speech, insomnia or daytime drowsiness, or increased or decreased psychomotor activity. Exclude metabolic, infectious, or drug causes.
8	_____	Visual disturbance	Retinal changes of SLE. Include cytoid bodies, retinal hemorrhages, serous exudate or hemorrhages in the choroid, or optic neuritis. Exclude hypertension, infection, or drug causes.
8	_____	Cranial nerve disorder	New onset of sensory or motor neuropathy involving cranial nerves.
8	_____	Lupus headache	Severe, persistent headache; may be migrainous, but must be nonresponsive to narcotic analgesia.
8	_____	CVA	New onset of cerebrovascular accident(s). Exclude arteriosclerosis.
8	_____	Vasculitis	Ulceration, gangrene, tender finger nodules, periungual infarction, splinter hemorrhages, or biopsy or angiogram proof of vasculitis.
4	_____	Arthritis	≥ 2 joints with pain and signs of inflammation (i.e., tenderness, swelling or effusion).
4	_____	Myositis	Proximal muscle aching/weakness, associated with elevated creatine phosphokinase/aldolase or electromyogram changes or a biopsy showing myositis.
4	_____	Urinary casts	Heme-granular or red blood cell casts.
4	_____	Hematuria	>5 red blood cells/high power field. Exclude stone, infection or other cause.
4	_____	Proteinuria	>0.5 gram/24 hours
4	_____	Pyuria	>5 white blood cells/high power field. Exclude infection.
2	_____	Rash	Inflammatory type rash.
2	_____	Alopecia	Abnormal, patchy or diffuse loss of hair.
2	_____	Mucosal ulcers	Oral or nasal ulcerations.
2	_____	Pleurisy	Pleuritic chest pain with pleural rub or effusion, or pleural thickening.
2	_____	Pericarditis	Pericardial pain with at least 1 of the following: rub, effusion, or electrocardiogram or echocardiogram confirmation.
2	_____	Low complement	Decrease in CH50, C3, or C4 below the lower limit of normal for testing laboratory
2	_____	Increased DNA binding	Increased DNA binding by Farr assay above normal range for testing laboratory.
1	_____	Fever	>38° C. Exclude infectious cause.
1	_____	Thrombocytopenia	<100,000 platelets / x10 ⁹ /L, exclude drug causes.
1	_____	Leukopenia	< 3,000 white blood cells / x10 ⁹ /L, exclude drug causes.
TOTAL SLEDAI SCORE		_____	